

SDZZ/HT-2022-DY116-5

检测报告

Testing Report

山出检字(2022)第B1116-5号

项目名称: 5月份检测项目

委托单位: 山东信邦物产集团置业有限公司


类别: 委托检测

日期: 2022.05.17

检测

报告

山东中泽环境检测有限公司
Shandong Zhong Ze Environmental Testing





ZHONG ZE

SDZZ/ZLJL-029-4

检测报告

山中检字（2022）第 DY116-5 号

第 1 页 共 7 页

项目名称	5 月份检测项目		
委托单位	山东神驰化工集团有限公司	采样地点	山东神驰化工集团有限公司
			有组织废气：采气袋、棕色玻璃瓶

采样人员	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛	采样日期	2022.05.11、2022.05.12
	赵红艳、迟立阳、王春晓		

采样时间	2022.05.11 08:00-12:00	2022.05.12 08:00-12:00
------	------------------------	------------------------

采样地点	山东神驰化工集团有限公司
------	--------------

采样方法	手工采样
------	------

采样设备	采样器、气袋、棕色玻璃瓶
------	--------------

采样环境	晴、15℃-25℃、微风
------	--------------

采样人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

检测日期	2022.05.11、2022.05.12
------	-----------------------

检测地点	山东神驰化工集团有限公司
------	--------------

检测项目	有组织废气：采气袋、棕色玻璃瓶
------	-----------------

检测结果	符合标准要求
------	--------

检测结论	合格
------	----

检测单位	山东神驰化工集团有限公司
------	--------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测日期	2022.05.11、2022.05.12
------	-----------------------

检测地点	山东神驰化工集团有限公司
------	--------------

检测项目	有组织废气：采气袋、棕色玻璃瓶
------	-----------------

检测结果	符合标准要求
------	--------

检测结论	合格
------	----

检测单位	山东神驰化工集团有限公司
------	--------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测日期	2022.05.11、2022.05.12
------	-----------------------

检测地点	山东神驰化工集团有限公司
------	--------------

检测项目	有组织废气：采气袋、棕色玻璃瓶
------	-----------------

检测结果	符合标准要求
------	--------

检测结论	合格
------	----

检测单位	山东神驰化工集团有限公司
------	--------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测日期	2022.05.11、2022.05.12
------	-----------------------

检测地点	山东神驰化工集团有限公司
------	--------------

检测项目	有组织废气：采气袋、棕色玻璃瓶
------	-----------------

检测结果	符合标准要求
------	--------

检测结论	合格
------	----

检测单位	山东神驰化工集团有限公司
------	--------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测日期	2022.05.11、2022.05.12
------	-----------------------

检测地点	山东神驰化工集团有限公司
------	--------------

检测项目	有组织废气：采气袋、棕色玻璃瓶
------	-----------------

检测结果	符合标准要求
------	--------

检测结论	合格
------	----

检测单位	山东神驰化工集团有限公司
------	--------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测日期	2022.05.11、2022.05.12
------	-----------------------

检测地点	山东神驰化工集团有限公司
------	--------------

检测项目	有组织废气：采气袋、棕色玻璃瓶
------	-----------------

检测结果	符合标准要求
------	--------

检测结论	合格
------	----

检测单位	山东神驰化工集团有限公司
------	--------------

检测人	周春旭、白文强、张吉春、郭新伟、佟富敏、郭海涛
-----	-------------------------

审核人	赵红艳、迟立阳、王春晓
-----	-------------

检测报告

山中检字(2022)第DY116-5号

第 2 页 共 7 页

表 3 废水检测方法依据一览表

项目名称	方法依据	分析方法	检出限
苯	HJ 1067-2019	水质 苯系物的测定 顶空/气相色谱法	2μg/L

检测 报 告

山中检字（2022）第 DY116-5 号

第 3 页，共 7 页

标干流量		Nm ³ /h	8439	7983	8097
含氧量		%	10.2	9.9	10.3
备注：排气筒高度 43 米，采样内径 0.8 米；以基准氧含量 3%折算。					
检测项目		采样点位	DA002 硫磺尾气炉		
		采样日期	2022.05.13		
		采样频次	频次一	频次二	频次三
硫化氢	实测浓度	mg/m ³	0.18	0.19	0.19
	折算浓度	mg/m ³	0.23	0.23	0.23
排放速率		kg/h	1.89×10 ⁻³	1.94×10 ⁻³	2.02×10 ⁻³

备注：排气筒高度 46 米，采样内径 1.0 米；以基准氧含量 3%折算。

排放速率	kg/h	0.667	0.626	0.657	
流量	Nm ³ /h	12507	11791	12211	标
采样点	DA019 油气回收进口				区
采样点	DA019 油气回收进口				区



ZHONG ZE

SDZZ/ZLJL-020-4

检测报告

山中检字（2022）第 DY116-5 号

第 4 页 共 7 页

标干流量	Nm ³ /h	1996	2033	2065
------	--------------------	------	------	------

采样内径 0.3 米。

备注

采样点位：DA010 油气回收出口

检测项目	检测方法	检测结果	判定
非甲烷总烃	气相色谱法	1.96	合格
苯	气相色谱法	1.95	合格
甲苯	气相色谱法	1.98	合格
二甲苯	气相色谱法	1.98	合格
乙苯	气相色谱法	1.98	合格
苯乙烯	气相色谱法	1.98	合格
丙烯腈	气相色谱法	1.98	合格
丁二烯	气相色谱法	1.98	合格
戊二烯	气相色谱法	1.98	合格
己二烯	气相色谱法	1.98	合格
庚二烯	气相色谱法	1.98	合格
辛二烯	气相色谱法	1.98	合格
壬二烯	气相色谱法	1.98	合格
癸二烯	气相色谱法	1.98	合格
十一二烯	气相色谱法	1.98	合格
十二二烯	气相色谱法	1.98	合格
十三二烯	气相色谱法	1.98	合格
十四二烯	气相色谱法	1.98	合格
十五二烯	气相色谱法	1.98	合格
十六二烯	气相色谱法	1.98	合格
十七二烯	气相色谱法	1.98	合格
十八二烯	气相色谱法	1.98	合格
十九二烯	气相色谱法	1.98	合格
二十二烯	气相色谱法	1.98	合格
二十一二烯	气相色谱法	1.98	合格
二十二二烯	气相色谱法	1.98	合格
二十三二烯	气相色谱法	1.98	合格
二十四二烯	气相色谱法	1.98	合格
二十五二烯	气相色谱法	1.98	合格
二十六二烯	气相色谱法	1.98	合格
二十七二烯	气相色谱法	1.98	合格
二十八二烯	气相色谱法	1.98	合格
二十九二烯	气相色谱法	1.98	合格
三十二烯	气相色谱法	1.98	合格
三十一二烯	气相色谱法	1.98	合格
三十二二烯	气相色谱法	1.98	合格
三十三二烯	气相色谱法	1.98	合格
三十四二烯	气相色谱法	1.98	合格
三十五二烯	气相色谱法	1.98	合格
三十六二烯	气相色谱法	1.98	合格
三十七二烯	气相色谱法	1.98	合格
三十八二烯	气相色谱法	1.98	合格
三十九二烯	气相色谱法	1.98	合格
四十二烯	气相色谱法	1.98	合格
四十一二烯	气相色谱法	1.98	合格
四十二二烯	气相色谱法	1.98	合格
四十三二烯	气相色谱法	1.98	合格
四十四二烯	气相色谱法	1.98	合格
四十五二烯	气相色谱法	1.98	合格
四十六二烯	气相色谱法	1.98	合格
四十七二烯	气相色谱法	1.98	合格
四十八二烯	气相色谱法	1.98	合格
四十九二烯	气相色谱法	1.98	合格
五十二烯	气相色谱法	1.98	合格
五十一二烯	气相色谱法	1.98	合格
五十二二烯	气相色谱法	1.98	合格
五十三二烯	气相色谱法	1.98	合格
五十四二烯	气相色谱法	1.98	合格
五十五二烯	气相色谱法	1.98	合格
五十六二烯	气相色谱法	1.98	合格
五十七二烯	气相色谱法	1.98	合格
五十八二烯	气相色谱法	1.98	合格
五十九二烯	气相色谱法	1.98	合格
六十二烯	气相色谱法	1.98	合格
六十一二烯	气相色谱法	1.98	合格
六十二二烯	气相色谱法	1.98	合格
六十三二烯	气相色谱法	1.98	合格
六十四二烯	气相色谱法	1.98	合格
六十五二烯	气相色谱法	1.98	合格
六十六二烯	气相色谱法	1.98	合格
六十七二烯	气相色谱法	1.98	合格
六十八二烯	气相色谱法	1.98	合格
六十九二烯	气相色谱法	1.98	合格
七十二烯	气相色谱法	1.98	合格
七十一二烯	气相色谱法	1.98	合格
七十二二烯	气相色谱法	1.98	合格
七十三二烯	气相色谱法	1.98	合格
七十四二烯	气相色谱法	1.98	合格
七十五二烯	气相色谱法	1.98	合格
七十六二烯	气相色谱法	1.98	合格
七十七二烯	气相色谱法	1.98	合格
七十八二烯	气相色谱法	1.98	合格
七十九二烯	气相色谱法	1.98	合格
八十二烯	气相色谱法	1.98	合格
八十一二烯	气相色谱法	1.98	合格
八十二二烯	气相色谱法	1.98	合格
八十三二烯	气相色谱法	1.98	合格
八十四二烯	气相色谱法	1.98	合格
八十五二烯	气相色谱法	1.98	合格
八十六二烯	气相色谱法	1.98	合格
八十七二烯	气相色谱法	1.98	合格
八十八二烯	气相色谱法	1.98	合格
八十九二烯	气相色谱法	1.98	合格
九十二烯	气相色谱法	1.98	合格
九十一二烯	气相色谱法	1.98	合格
九十二二烯	气相色谱法	1.98	合格
九十三二烯	气相色谱法	1.98	合格
九十四二烯	气相色谱法	1.98	合格
九十五二烯	气相色谱法	1.98	合格
九十六二烯	气相色谱法	1.98	合格
九十七二烯	气相色谱法	1.98	合格
九十八二烯	气相色谱法	1.98	合格
九十九二烯	气相色谱法	1.98	合格
一百二烯	气相色谱法	1.98	合格



表 5 废水检测结果一览表

采样		检测		采样频次及检测结果		
日期	点位	项目	单位	一	二	三
		BOD ₅	mg/L	7.6	6.0	7.1
		SS	mg/L	ND	ND	ND
		氨氮	mg/L	ND	ND	ND
		总磷	mg/L	ND	ND	ND
		总氮	mg/L	ND	ND	ND
		粪大肠菌群	MPN/100mL	ND	ND	ND
		余氯	mg/L	ND	ND	ND
		pH		ND	ND	ND
		电导率	μS/cm	ND	ND	ND
		溶解氧	mg/L	ND	ND	ND
		透明度	cm	ND	ND	ND
		色度	PCU	ND	ND	ND
		浊度	NTU	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机氟	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳	mg/L	ND	ND	ND
		总有机硅	mg/L	ND	ND	ND
		总有机铝	mg/L	ND	ND	ND
		总有机铁	mg/L	ND	ND	ND
		总有机铜	mg/L	ND	ND	ND
		总有机锌	mg/L	ND	ND	ND
		总有机锰	mg/L	ND	ND	ND
		总有机钙	mg/L	ND	ND	ND
		总有机镁	mg/L	ND	ND	ND
		总有机钾	mg/L	ND	ND	ND
		总有机钠	mg/L	ND	ND	ND
		总有机氯	mg/L	ND	ND	ND
		总有机硫	mg/L	ND	ND	ND
		总有机磷	mg/L	ND	ND	ND
		总有机氮	mg/L	ND	ND	ND
		总有机碳				



ZHONG ZE

SDZZ/ZLJL-029-4

检测报告

山中检字(2022)第DY116-5号

第 6 页 共 7 页

三、后处理及评价



SDZ 535 125 025 029-2

答发日期: 1996年11月11日



报告说明

- 1.报告无本公司检验检测专用章、骑缝章无效。
- 2.报告无编制人、审核人、授权签字人签名无效。
- 3.报告涂改、错页、缺页无效。
- 4.未经本公司书面批准，不得部分复制本报告。
- 5.本公司对委托现场检测结果的准确性负责，但对因委托方提供的与检测项目有关的参