

Warning: Important:

Information regarding the system's performance and security.

The system is designed to handle large volumes of data.

It is essential to maintain regular backups of the data.

Users should be trained on the correct usage of the system.


Security protocols must be strictly followed to protect the data.

Regular updates and patches should be applied to the software.

Monitoring the system's health and performance is crucial.

Access to the system should be restricted to authorized personnel only.

Incident response plans should be in place to handle any security breaches.





ZHONG ZE

SDZZ/ZLJL-029-4

检测报告

山中检字(2023)第DY581-2号

第2页 共4页

--	--	--	--	--	--



检测项目	检测结果	标准
------	------	----

颗粒物	0.001	0.001
-----	-------	-------

二氧化硫	0.001	0.001
------	-------	-------

氮氧化物	0.001	0.001
------	-------	-------

一氧化碳	0.001	0.001
------	-------	-------

处理效率	97.6	97.5
------	------	------

处理效率	97.7	97.5
------	------	------

备注：排气筒高度16米

检测日期	2023年10月10日
检测地点	山东XX有限公司
检测人员	张三、李四
审核人员	王五
检测单位	山东XX检测有限公司

检测单位：山东XX检测有限公司
 地址：山东省XX市XX区XX路XX号
 电话：0531-XXXXXXX
 网址：www.xx.com



ZHONG ZE

SDZZ/ZJ2X C-029-4

检测报告

委托编号 (2023) 第 DY581-2 号

第 3 页 共 4 页

采样点位		DA003 107 号废气排放口			
采样日期		2024.02.07			
采样频次		频次一	频次二	频次三	
挥发性有机物 (非甲烷总烃)	浓度	mg/m^3	339	393	394
	排放速率	kg/h	0.250	0.242	0.277
标干流量		Nm^3/h	643	617	704
处理效率		%	96.4	96.3	96.3


备注：排气管直径为 107mm。

采样点位		DA001 107 号废气排放口			
------	--	------------------	--	--	--



标干流量	Nm^3/h	663	653	126°
------	------------------------	-----	-----	------

备注：排气管直径为 107mm。



检测报告

中检字(2018)第010101号

三、质控措施及质控结果

3.1 质控措施

1.本次检测废气,属于检测废气,采用抽气泵抽气,抽气泵

抽气速度为

0.5m³/min

1.0m³/min

0.5m³/min

1.0m³/min

0.5m³/min

AA



